




# NON API PUMPS

## Mechanically Actuated Diaphragm Type Pumps

**Features :**

- Simple Design, Economical & Easy to maintain
- No Leakage & Low NPSHR
- Suitable for Flame Proof Area
- Heavy return spring for near Positive return of diaphragm
- Wide range of plastic & Metallic MOCs



Pump Model	Strokes Lg (mm)	DIA PH DIA	SPM	Max Capacity (LPH)	Max Prerssure (Kg/cm Sq)	Connection
DP/1.5/DIA/35	1.5	35	57	1.5	8	15
DP/1.5/DIA/35	1.5	35	70	2	8	15
DP/1.5/DIA/35	1.5	35	100	3	8	15
DP/1.5/DIA/35	1.5	35	114	3.5	8	15
DP/1.5/DIA/35	1.5	35	141	4	8	15
DP/2/DIA/53	2	53	57	11	8	15
DP/2/DIA/53	2	53	70	14	8	15
DP/2/DIA/53	2	53	100	20	8	15
DP/2/DIA/53	2	53	114	22	8	15
DP/2/DIA/53	2	53	141	28	8	15
DP/3/DIA/81	3	81	57	41	8	15
DP/3/DIA/81	3	81	70	50	8	15
DP/3/DIA/81	3	81	100	70	8	20
DP/4/DIA/103	4	103	57	75	7.8	20
DP/3/DIA/81	3	81	114	80	8	20
DP/4/DIA/103	4	103	70	90	7	20
DP/3/DIA/81	3	81	141	100	8	20
DP/4/DIA/103	4	103	100	130	8	20
DP/4/DIA/103	4	103	114	150	7	20
DP/6/DIA/127	6	127	57	183	4.5	25
DP/4/DIA/103	4	103	141	187	6.5	25
DP/6/DIA/143	6	143	57	238	3	25
DP/6/DIA/127	6	127	70	250	4	25
DP/6/DIA/143	6	143	70	292	2.7	25
DP/6/DIA/160	6	160	57	309	2	25
DP/6/DIA/127	6	127	100	320	4.5	25
DP/6/DIA/127	6	127	114	360	4	25
DP/6/DIA/160	6	160	70	379	1.7	25
DP/6/DIA/143	6	143	100	418	3	25
DP/6/DIA/127	6	127	141	450	3.5	25
DP/6/DIA/143	6	143	114	476	2.7	25
DP/6/DIA/160	6	160	100	541	2	25
DP/6/DIA/143	6	143	141	589	2.5	25
DP/6/DIA/160	6	160	114	617	1.7	25